This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

NOV. 30. 2005 11:55AM

(Currently amended) A compound of formula I 1.

R1

$$X_1$$
 X_2
 X_3
 X_4
 X_3
 X_4
 X_4

wherein

A is

-(C₀-C₄)-alkylene,

B. D and E are identical or different and are, independently of each other,

-(C₀-C₄)-alkylene,

-(C2-C4)-alkenylene,

-S(O)₀-,

-NH-,

-NH-C(O)-,

-C(O)-NH-,

-NH-SO₂-,

-NH-C(O)-NH-,

-NH-C(S)-,

PATENT

DEAV2003/0001 US NP Application No. 10/751,600

-NH-C(O)-O-,

-0-,

-O-C(O)-NH-,

-C(O)-,

-Q-(CH_2)_n-O-, or

-O-(CH₂)_m-NH-,

o is

zero, 1 or 2,

n is

2 or 3,

m is

2 or 3,

ring 1 ring¹, ring 2 ring² or ring³ ring³ are identical or different and are, independently of each other.

covalent bond,

- $(C_6$ - C_{14})-aryl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or

5- or 6-membered aromatic heteroaryl ring that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

ring-4 ring4 is

-(C₆-C₁₄)-aryl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

5- or 6-membered aromatic heteroaryl ring that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, heteroaryl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or

azaheterocyclyl selected from the group consisting of

AVENTIS US PAT DEPT

PATENT

DEAV2003/0001 US NP Application No. 10/751,600

that are unsubstituted or substituted, independently of each other, once, twice or three times, by G,

G is

hydrogen,

halogen,

R4,

-O-R4,

-C(O)-R⁵,

 $-S(O)_p-R^4$,

-NO₂,

-CN or

 $-NR^3R^4$,

p is

zero, 1 or 2,

X is

-OH or -NH-OH,

 X^{1} X_{1} and X^{2} X_{2} are identical or different and are, independently of each other,

hydrogen or -(C1-C6)-alkyl, or

taken together form the radical =O,

```
DEAV2003/0001 US NP
Application No. 10/751,600
```

```
\begin{array}{lll} n^1 \ is & & & & \\ & -(CH_2)_{\Gamma^-}, & & \\ n^2 \ is & & & & \\ & -(CH_2)_{q^-}, & & \\ r \ is & & & \\ & zero, \ 1, \ 2 \ or \ 3, & & \\ q \ is & & & \\ & zero, \ 1, \ 2 \ or \ 3, & & \\ R^1 \ is & & & \\ & hydrogen, \ or & & \\ & -(C_1-C_6)\text{-alkyl that is unsubstituted or substituted, once or twice, by -(C_3-C_6)-cycloalkyl, -(C_6-C_{14})\text{-aryl or heteroaryl,} & & \\ \end{array}
```

R2 \mathbb{R}^2 and \mathbb{R}^3 are identical or different and are, independently of each other, hydrogen or $-(C_1-C_6)$ -alkyl,

\mathbb{R}^4 is

hydrogen,

- (C_1-C_6) -alkyl that is unsubstituted or substituted, once, twice or three times, by halogen, - (C_3-C_6) -cycloalkyl, - (C_6-C_{14}) -aryl or heteroaryl,

 $-(C_6-C_{14})$ -aryl,

heteroaryl,

-C(O)-O-R³,

 $-C(S)-O-R^5$,

-C(O)-NH-R⁶, or

 $-C(S)-NH-R^6$,

R⁵ is

-(C_1 - C_6)-alkyl that is unsubstituted or substituted, once or twice, by -(C_3 - C_6)-cycloalkyl, -(C_6 - C_{14})-aryl, or heteroaryl, -(C_6 - C_{14})-aryl, and

R⁶ is

-(C_1 - C_6)-alkyl that is unsubstituted or substituted, once or twice, by -(C_3 - C_6)-cycloalkyl, -(C_6 - C_{14})-aryl or heteroaryl, or -(C_6 - C_{14})-aryl, or

<u>a</u> stereoisomer thereof, a mixture of stereoisomers thereof in any ratio, or <u>a</u> physiologically tolerable salt thereof.

wherein N-[(3,5-dichlorobenzene)sulfonyl]-(3a(S), 7a(S))-octahydro-indole-2(S)-carboxylic acid and N-tosylperhydrocyclopenta[b]pytrole-2-carboxylic acid are disclaimed.

2. (Currently amended) The compound of claim 1, wherein ring 1 ring 2 ring 2 or ring 3 ring 3 as are

-(C₆-C₁₄)-aryl that is phenyl, naphthyl, 1-naphthyl, 2-naphthyl, biphenylyl, 2-biphenylyl, 3-biphenylyl, 4-biphenylyl, anthryl or fluorenyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or 5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, dioxolyl, dioxanyl, furanyl, imidazolidinyl, imidazolinyl, imidazolyl, isoxazolyl, isoxazolidinyl, 2-isoxazolidinyl, isothiazolyl, isothiazolidinyl, 2-isothiazolinyl, morpholinyl, oxazolyl, oxothiolanyl, piperazinyl, piperidinyl, pyranyl, pyrazinyl, pyrazolyl, pyrazolidinyl, pyrazolinyl, pyridinyl, pyridinyl, pyrimidinyl, pyrrolyl, pyrrolidinyl, tetrahydrofuranyl, tetrahydropyridinyl, thiazolyl, thiomorpholinyl, thiophenyl or thiopyranyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

ring 4-as ring4 is

-(C₆-C₁₄)-aryl that is phenyl, naphthyl, 1-naphthyl, 2-naphthyl, biphenylyl, 2-biphenylyl, 3-biphenylyl, 4-biphenylyl, anthryl or fluorenyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G, 5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, dioxolyl, dioxanyl, furanyl, imidazolidinyl, imidazolinyl, isoxazolyl, isoxazolidinyl, 2-isoxazolinyl, isothiazolyl, isothiazolidinyl, 2-isothiazolinyl, morpholinyl, oxazolyl, oxothiolanyl, piperazinyl, piperidinyl, pyranyl, pyrazinyl, pyrazolyl, pyrazolidinyl, pyrazolinyl, pyridazinyl, pyridinyl, pyridinyl, pyriolyl, pyrrolidinyl, tetrahydrofuranyl, tetrahydropyridinyl, thiazolyl, thiomorpholinyl, thiophenyl or

> thiopyranyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or heteroaryl that is acridinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalinyl, carbazolyl, 4aHcarbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, deca-hydroquinolinyl, 2H.6H-1.5.2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, fuaranyl furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1.2.4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purinyl, pyrazinyl, pyrazinyl, pyrazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, pridooxazolyl pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2Hpyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

R4 as is

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once, twice or three times, by halogen, -(C₃-C₆)-cycloalkyl, phenyl, naphthyl, acridinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzothiazolyl, benzimidazalinyl, carbazolyl, benzimidazalinyl, carbazolyl, 4aH-carbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, decahydroquinolinyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, fuaranyl furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl,

isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purynyl purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, pryidooxazolyl pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2Hpyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, -(C₆-C₁₄)-aryl that is phenyl or naphthyl, or heteroaryl that is accidinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalinyl, carbazolyl, 4aHcarbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, deca-hydroquinolinyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, fuaranyl furanyl, furazany), imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purynyl <u>purinyl</u>, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, pryidooxazolyl pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridethiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2Hpyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4-

thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienoxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

R⁵ is

-(C1-C6)-alkyl that is unsubstituted or substituted, once, twice or three times, by -(C3-C6)-cycloalkyl, phenyl, naphthyl, acridinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolył, benzothiazolył, benzotriazolył, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalinyl, carbazolyl, 4aHcarbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, deca-hydroquinolinyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, fuaranyl furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidzzolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purynyl purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, pryidooxazolyl pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2Hpyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, -(C₆-C₁₄)-aryl that is phenyl or naphthyl, or heteroaryl that is acridinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalinyl, carbazolyl, 4nHcarbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, deca-hydroquinolinyl,

2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, fuaranyl furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, IH-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, pryidooxazolyl pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2Hpyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

R6 as is

-(C₁-C₆)-alkyl that is unsubstituted or substituted, once, twice or three times, by -(C₃-C₆)-cycloalkyl, phenyl, naphthyl, acridinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzimidazalinyl, carbazolyl, daH-carbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, deca-hydroquinolinyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, furanyl furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purayyl purinyl, pyrazolyl, pyrazolyl, pyrazolinyl, pyrazolinyl, pyrazolinyl, pyrazolinyl, pyrazolinyl, pyrazolinyl, pyrazolinyl, pyrazolinyl, pyrazolyl,

PATENT

DEAV2003/0001 US NP Application No. 10/751,600

> pyridazinyl, pridooxazolyl pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2Hpyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1.2.5-triazolyl, 1.3.4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, -(C6-C14)-aryl that is phenyl or naphthyl, or heteroaryl that is acridinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotniazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalinyl, carbazolyl, 4aHcarbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, deca-hydroquinolinyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, fuaranyl furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, pryidooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2H-pyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, and

-(C1-C6)-alkyl that is unsubstituted or substituted, once, twice or three times, by -(C3-C6)-cycloalkyl, phenyl, naphthyl, acridinyl, azetidinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, benzotetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalinyl, carbazolyl, 4aHcarbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, deca-hydroquinolinyl, 2H,6H-1,5,2-dithiazinyl, dihydrofuran[2,3-b]tetrahydrofuran, fuaranyl furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolinyl, indolizinyl, indolyl, 3H-indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl (benzimidazolyl), isothiazolyl, isoxazolyl, morpholinyl, naphthyridinyl, octahydroisoquinolinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, purinyl purinyl, pyranyl, pyrazinyl, pyroazolidinyl, pyrazolinyl, pyrazolyl, pyridazinyl, pryidooxazolyl pyridooxazolyl, pyridoimidazolyl, pyridothiazolyl, pyridothiophenyl, pyridinyl, pyridyl, pyrimidinyl, pyrrolidinyl, pyrrolinyl, 2Hpyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4H-quinolizinyl, quinoxalinyl, quinuclidinyl, tetrahydrofuranyl, tetrahydroisoquinolinyl, tetrahydroquinolinyl, 6H-1,2,5-thiadazinyl, 1,2,3-thiadiazolyl, 1, 2, 4-thiadiazolyl, 1, 2, 5-thiadiazolyl, 1,3,4thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl or xanthenyl, and that is unsubstituted or substituted, independently of each other, once, twice or three times, by G.

- 3. (Currently amended) The compound of claim 1, wherein B, D and E are identical or different and are, independently of each other,
 - -(C₀-C₂)-alkylene,
 - -C2-alkenylene,
 - $-S(O)_{2}$ -,
 - -NH-,
 - -NH-C(O)-,
 - -C(O)-NH-,
 - -NH-C(O)-NH-,
 - -O-, or

-C(O)-,

ring 1 ring 1, ring 2 ring2 or ring 3 ring3 as are

-(C₆-C₁₄)-aryl is phenyl or naphthyl that is unsubstituted or substituted, independently of each other, once, twice or three times, by G, or


5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl, and <u>isare</u> unsubstituted or substituted, independently of each other, once, twice or three times, by G,

ring 4 ring 4 as is

- (C_6-C_{14}) -aryl that is phenyl or naphthyl and is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

5- or 6-membered aromatic heteroaryl ring that is dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl, and is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl, and is are unsubstituted or substituted, independently of each other, once, twice or three times, by G, or azaheterocyclyl selected from the group consisting of



that is unsubstituted or substituted, independently of each other, once, twice or three times, by G,

Gas is

halogen that is Br, Cl, I or F, and $-S(O)_p-R^4$ that is $-S(O)_2-R^4$,

R4 is

hydrogen,

-(C_1 - C_4)-alkyl that is unsubstituted or substituted, once, twice or three times, by Br, C_1 , F_2 -cycloalkyl, phenyl, naphthyl, or heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl and is are unsubstituted or substituted, independently of each other, once, twice or three times, by G_2 ,

phenyl or naphthyl,

heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl and is are unsubstituted or substituted, independently of each other, once, twice or three times, by G,

 $-C(O)-O-R^5$, or

 $-C(O)-NH-R^6$,

R⁵ is

-(C₁-C₄)-alkyl that is unsubstituted or substituted, once or twice, by -C₃-cycloalkyl, phenyl, naphthyl or heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl and is are unsubstituted or substituted, independently of each other, once, twice or three times, by G, phenyl or naphthyl, or heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl that is substituted, independently of each other, once, twice or three times, by G,

R⁶ is

-(C₁-C₄)-alkyl, in which alkyl is unsubstituted or substituted, once or twice, by -C₃-cycloalkyl, phenyl, naphthyl or heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl, morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl, pyrrolyl, thiazolyl or thiophenyl and is ere unsubstituted or substituted, independently of each other, once, twice or three times, by G,

PATENT

phenyl or naphthyl, or
heteroaryl that is benzofuranyl, benzothiophenyl, dihydrofuranyl, furanyl,
morpholinyl, piperazinyl, piperidinyl, pyridinyl, pyridothiophenyl, pyrimidinyl,
pyrrolyl, thiazolyl or thiophenyl and that is substituted, independently of each other,

 $X^{1}\underline{X}_{1}$ and $X^{2}\underline{X}_{2}$ are hydrogen,

 n^1 and n^2 are $-(CH_2)\text{-, or }n^1\text{ is }-(CH_2)\text{-- and }n^2\text{ is }-(CH_2)\text{-,}$

once, twice or three times, by G,

R¹ is hydrogen, and

 \mathbb{R}^2 \mathbb{R}^2 and \mathbb{R}^3 are hydrogen.

4. (Withdrawn) A process for preparing the compound of claim 1, comprising

wherein Re is a hydrogen or an ester protecting group, with a compound of formula V,

$$R^{2}$$
 SO_{2} A $ring^{1}$ B $ring^{2}$ D $ring^{3}$ E $ring^{4}$ (V)

in which A, B, D, E and ring¹, ring², ring³ and ring⁴ are defined as in the compound of formula I, and wherein R² is chlorine atom, imidazolyl or OH,

in the presence of a base, or after silylation with a suitable silylating agent, to give a compound of formula VI,

$$OR^{e}$$

$$SO_{2}$$

$$A$$

$$ring^{1}-B$$

$$ring^{2}-D$$

$$ring^{3}-E$$

$$VI)$$

wherein A, B, D, E, Re and ring1, ring2, ring3 and ring4 are as defined above, and

b) where R° is the ester protecting group, reacting a compound of formula VI, which has been prepared in accordance with step a), with a solution of an alkali such as NaOH or LiOH, and then treating with acid, to give the carboxylic acid of formula VII, with modifications in one of the side chains of ring¹-ring⁴ also having previously been carried out, where appropriate,

$$\begin{array}{c} O\\ \\ SO_2\\ A\\ ring^1-B \\ \end{array} \\ ring^2-D \\ \end{array} \\ ring^3-E-ring^4 \\ (VII)$$

and then converting this compound into the compound of formula I wherein X is NH-OH, and

c) optionally separating the compound of formula I, which has been prepared in accordance with steps a) or b) into an individual enantiomer by means of salt formation with an enantiomerically pure acid or base, chromatography on a chiral stationary phase or derivatization using chiral, enantiomerically pure compound, such as an amino acid, separation of the resulting derivatized diastereomers and elimination of the chiral auxiliary derivatization group, or

- d) optionally isolating the compound of formula I, which has been prepared in accordance with steps b) or c), in free form or, when an acidic or basic group is present, converting it into a corresponding physiologically tolerated salt.
- (Previously presented) A pharmaceutical preparation comprising a pharmaceutically
 effective amount of at least one compound according to claim 1 and a
 pharmaceutically tolerated carrier.
- 6. (Withdrawn) The use of the compound of claim 1 for the prophylaxis or therapy of a disease such as osteoarthroses, spondyloses, cartilage loss following joint trauma or a relatively long period of joint immobilization following meniscus or patella injuries or ligament rupture.
- 7. (Withdrawn) The use of the compound of claim 1 for the prophylaxis or therapy of a disease s of the connective tissue such as collagenoses, periodontal disease or wound healing disturbances.
- 8. (Withdrawn) The use of the compound of claim 1 for the prophylaxis or therapy of a chronic disease of the locomotory apparatus, such as inflammatory, immunologically-determined or metabolism-determined acute and chronic arthritide, arthropathy, myalgia and a disturbance in bone metabolism.
- (Withdrawn) The use of the compound of claim 1 for the treatment of ulceration, atherosclerosis or stenoses.
- 10. (Withdrawn) The use of the compound of claim 1 for the treatment of inflammations, cancer disease, tumor metastasis formation, cachexia, anorexia, heart failure or septic shock.
- (Withdrawn) The use of the compound of claim 1 for the prophylaxis of myocardial and cerebral infarcts.